Receiving Report

	ate: <u>7-7</u> upplier: <u>COL</u>	-13		Batch No:	<u>138</u>	941 941	
Packing Slip: Invoice: Receipt: New Supplier Discrepancies	Yes No No Cr Yes No No		Release N Waybill At Shipment QC18 Insp Work Orde	tached: Complete: pection	Yes	No No No	N/A N/A N/A
Part Number	Description	Quantity Ordered	Quantity Rec'd	Quantity Short	Quantity Inspected	Quantity Rejected	Comment / NCR Number
		Ordered	i i i i i i i i i i i i i i i i i i i	Giller			
			- L	Initials of	Receiver	QC12	-8-
Production/Ad Date Received/Cost Initial						Location	

H:\FORMS\Purchasing\approved purch\RECREPORT Rev F



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO36941

Purchase Order Date 7/6/2017 PO Print Date 7/6/2017

Page Number 1 of 2

Order From:

C.O.R.E. AVIATION SERVICES 16321 E. TWIN ACRES DRIVE GILBERT, AZ 85297 US

VU-COR001

DART AEROSPACE LTD Ship To:

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA

JUL 0 6

Contact Name

Mr. Kaizer Husein

Vendor Phone

480 497 6136

Buyer

Chantal Lavoie

Customer POID

Ship To Contact

Customer Tax # **Terms**

10127-2607 Net 10

USD

Ship To Phone

Ship Via:

FedEx Overnight collect

Currency **FOB**

FCA - (Free Carrier)

Ship Acet:

Line Reference Nbr Vendor Part Number Line Comments **Delivery Comments**

Description/ Mfg ID

Req Date/ CD Taxable

Req Qty/ Unit of

Extended **PO** Unit Price Price

Promise Date

Measure

100.00

Each

Line Total:

\$1,025.00

22208CM050016E

Screw

7/10/2017 Yes 7/10/2017

\$10.25

71401-45

PROCUREMENT QUALITY CLAUSES 7/10/2017

\$0.00

\$0.00

\$1,025.00

Procurement Quality Clauses A005 RIGHT OF ENTRY

A012 CHEMICAL AND PHYSICAL TEST REPORTS

A016 PERSONNEL QUALIFICATION

A026 CERTIFICATION OF MATERIAL CONFORMANCE A032 PUBLIC LAW 101-592 FASTENER QUALITY ACT

A033 STATEMENT OF CONFORMITY/TEST RECORDS FOR NAS, AN and MS FASTENERS

A040 NOTIFICATION OF QUALITY ESCAPE

A041 QUALITY MANAGEMENT SYSTEM A043 RETENTION OF QUALITY DOCUME

No 7/10/2017

PO Instructions: Fedex Acct# 151793240

Note:

C.O.R.E. Aviation Services, Inc.

16321 E. TWIN ACRES DRIVE GILBERT, AZ 85298

USA

Ph: 480-497-6136 Fax: 480-497-3568 EMail: kaizer@coreaviation.com

Packing List

Ship Doc: CA170712-1 Printed: 07/12/2017

No. Items: 1 Page : 1 of 1

Bill To:

Dart Aerospace Ltd. 1270 Aberdeen St.

Hawkesbury, ON K6A 1K7

Canada

Ship To:

Dart Aerospace Ltd. 1270 Aberdeen St.

Hawkesbury, ON K6A 1K7

Canada

Sales Order: 36941

AWB

: 779617877111

Resale

: Not On File

Order Date : 07/06/2017

Customer# : DALD

Buyer Contact

: 613-632-9577

Ship Date Ship Via

: 07/12/2017

: FEDEX

Terms

: N 10 Sales Person: KAIZER HUSEIN

Weiaht No. Boxes

Ship Account 151793240

FOB

: GILBERT, AZ

Dimensions:

			Dimensions .						
em	Part Number/Description	CD	Location	UM	Ord	B/O	Shipped	Cust. PO#	
	22208CM050016E BOLT	FN	DART	EA	100	0	100	36941	
	1 2013.								
	5077-13.								
				-					

TERMS AND CONDITIONS OF SALE

MATERIALS ON THIS ORDER CONFORM TO SPECIFICATIONS AS LISTED ON YOUR PO/RO.

MATERIAL IS SUBJECT TO YOUR INSPECTION

OUR TERMS ARE AS PER OUR MUTUAL LETTERS OF AGREEMENT.

OVERDUE INVOICES WILL BE SUBJECT TO 1.5% INTEREST ON OVERDUE AMOUNTS.

NO RETURN OR REFUNDS AFTER 10 DAYS FROM INVOICE DATE.

DAMAGE OR SHORTAGE CLAIMS MUST BE MADE WITHIN 10 DAYS OF INVOICE DATE. NO RETURNS ALLOWED WITHOUT PRIOR APPROVAL. RETURNED GOODS COULD BE

SUBJECT TO A RESTOCK CHARGE.

COUNTRY OF ORIGIN OF GOODS : USA

TYPE OF GOODS HARMONIZED CODE : AIRCRAFT PARTS

: 8803-20-0050

CERTIFICATE OF CONFORMANCE C.O.R.E. Aviation Services, Inc.

16321 E. TWIN ACRES DRIVE, GILBERT, AZ 85298, USA Phone: 480-497-6136 Fax: 480-497-3568 FAA Sta. #: Web:

Invoice : CA170712-1 Date : 07/12/2017

PO : 36941

Issued By: KAIZER HUSEIN

Page : 1 of 1

THIS IS TO CERTIFY THAT ALL GOODS ON C.O.R.E. INVOICE WERE SHIPPED IN ACCORDANCE WITH THE PART SPECIFICATIONS ON CUSTOMERS PO & TO THE BEST OF OUR KNOWLEDGE AND BELIEF. MEET THOSE STANDARDS.

ITEM(S) WERE DETERMINED TO BE IN STATED CONDITION BY VISUAL CONDITION AND OR IN ACCORDANCE WITH RECEIVING RECORDS.

ALL DETAILED RECORDS ARE KEPT ON FILE AT C.O.R.E. AVIATION SERVICES FOR ANY FUTURE CUSTOMER INSPECTION.

ltem	Part Number/Description		Shipped	CD
1	22208CM050016E	BOLT	100	FN

KAIZER HUSEIN

Alcaa Fastening Systems



Aerospace Products Toulouse Operations



FM 83542 ISO 9001 EN/AS9100

Bd du Grand Castaing-Roques 31128 Portet-sur-Garonne³ Cedex (France)

Tel: 00 33 5 61 51 82 30 Fax: 00 33 5 61 51 60 78

ALCOA FASTENING SYSTEMS
MECAERO S.N.C.
BOULEVARD DU GRAND CASTAING
31120 ROQUES sur GARONNE
France

DECLARATION DE CONFORMITE

CERTIFICATE OF COMPLIANCE

N° Déclaration Certificat N° CC080224

(NFL00-015C)

Nombre de feuilles Number of page 1/1

SEY TEC HEADQUARTERS 1531 CENTRAL PARK DRIVE TX 76053 HURST ETATS UNIS N°commande/*Purchase order N°*024832P

Qté Cdée/*Qty Ord.* Poste/*Item*

Ar/Acknow 75529/7 Qté/Qty ship.

5.238

Référence Article/Manufacturer Reference FRNFM00798

CM Hexa. + faus Ø 5.00

5,000

00082185

N°BL/Delivery Note

Référence Client/Part Number 22208CM050016E

Ind/*Rev* A

Lot de Fabrication/Manufacturing Batch

427696

Lots matières/Material lots

06407

EZ6NCT25 Diam. 4.88 mm

14

Date

06/11/2006

Renseignements particuliers, dérogations/special information, concessions

Déclaration de conformité / Certificate of compliance (NFL00-015C)

Nous déclarons que la fourniture citée est conforme aux exigences du contrat et que, après vérifications et essais, elle répond en tout point, aux exigences spécifies, aux nouves et régiences applicables, sauf exceptions, réserves ou dérogations énumérées dans la présente déclaration de conformité.

We hereby declare, barring exceptions, reservations, or exemptions listed in this statement of conformity, that the listed supplies comply with the contract requirements and applicable standards and regulations.

AIRBUS SAS APPROVAL N° 30289 BAE SYSTEMS N° BAE/ÁG/30394/MAA

CONTROLE FOURNISSEUR - SUPPLIER INSPECTION

Nom/Name: b009: BANIEE Laurent

Fonction: assurance qualité

Date :

06/11/2006

Signature:

Surveillance:

Alcoa Fastening **Systems**

Aerospace Products Toulouse Operations



BSI REGISTERED FM 83542 ISO 9001 EN/AS9100

Bd du Grand Castaing-Roques 31128 Portet-sur-Garonne Cedex (France)

Tel: 00 33 5 61 51 82 30 Fax: 00 33 5 61 51 60 78

RAPPORT D'ESSAIS

Test Report

Code OTAN/NSC	M : F7411			
Manufacturer:	MECAERO	(Head	marking:M)	OF

OF:427696

Rev:0

Manufacture:				, ,	27696		Rev:0			:> [Page:1/
22208CM0	50016E R	ev.:2		er		Qua	ntite du lo 5,238.	ot / Lot Quantit	Y		rage. + /
Réf. Proc FRNFM0079	98					Spé Al	cification R9173 Re	/ Product speci	ficat:	ion	
Matiere	s premi	ères	/ Raw mater	faller mer	-	Charles and	ST Trave	Colorida de la castrada	-/ or		
N° Lot N°I	Lot Mat.	I	Désignation		N° C	97 Transement Chermique Cde Désignation					
			Designation		Orde	r n°	Design	nation		Specification	Rev
42/898 064	96 06407 EZ6NCT25 Diam. 4.88 mm		PO36681	/ 17	E-Z6NCT25	900 MPA MINI	!	TTO401	04		
					<u> </u>						
┟────┼─	· · · · · · · · · · · · · · · · · · ·	 -	······································								
<u> </u>	······································				ļ	- :					
			· · · · · · · · · · · · · · · · · · ·								
		The or those more			<u>L.</u>						
	eur ira	Treme	nt de surfa	C6/(Plating A	hickness			Durete/Har	dness		I SECT
Spec. Rev						Spec	э.		AIR9		
rev Echantillon/	Sample				···	Rev			-		
Epaisseur/Th		e A					i - (Maxi)		HB1/	30 248 - 3	341
Epaisseur/Th			 				antillon/Sa			30	
Epaisseur/Th		-					té/Hardnes		HB1/	30 302 - 3	313
Notes	2011		1			J L	té/Hardnes				
			A/N			1	eté/Hardnes	S			
						Note	25				
Visa					,∢ .	, Vi			£030		
	+Dim ±Din	ensic ensic	angi/ aa/. / 5	Wisuel/Wisu			J. Tracti			Double clas Double she	vi lemen
Spec.	PLAN			PLAN		11					
Rev	A			A		Spec					
Echant./Samp	7.0	200		200		1	- (Maxi)			<u> </u>	· · · · · · · · · · · · · · · · · · ·
Résultat/Res			· · · · · · · · · · · · · · · · · · ·	Conforme		┨┖	é/Unit	<u></u>			
Notes	- 100			CONTOLINE	· · · · · · · · · · · · · · · · · · ·	┨┕					
						Note	·s	n/a		S/A	
Visa	G036			G036		Mach	/Test mach				
	Mag	iétos	constal/es	Reference of the control of the cont	VP WEST	Vis				<u> </u>	
	Magi	ietic	particle	Rendunce Allowa centra	enetzant				. 397-38 -480-55		
Spec.				AIR9173		Va	eur/Value	TATS/RESOUR			
Rev	1					 ``		Location	 	Valeur/va	
Chant./Samp	le			529							
Résultat/Resu	ul t			Conforme			· ·			 	
lotes	N/A	· · · ·		COULCIME							
]"' -			·	•			, , , , , , , , , , , , , , , , , , ,			
	1						······································			!	
Visa	7			ъ002						1	
		i AN	otes 🔆 .								
			The state of the s		, and the second						
						<u> </u>					
Résultats d Test result:	essais	atte	stés par:	Signatu	re						
Test result: responsable	s review contrôl	red by .e	DATE	-	And	1					
k002: KERRII			03/11/20	006	1	<u> </u>				1	
·			· · ·				Document v	alidated by electronic	signat	ture	

Alcoa **Fastening** Systems



Aerospace Products Toulouse Operations



BSI REGISTERED FM 83542 ISO 9001 EN/AS9100

Bd du Grand Castaing-Roques 31128 Portet-sur-Garonne Cedex (France) Tel: 00 33 5 61 51 82 30

Fax: 00 33 5 61 51 60 78

RAPPORT D'ESSAIS

Test Report

or Code OTAN/NSCM : F7411
Manufacturer: MECAERO (Head marking:M)

OF:427696

Rev:0

Page: 2 / 2

the state of the s	the state of the contract of the state of th		AND A SECOND PROPERTY OF THE P		ont action of the second
N°Cde/Order n°	Désignation/	Désignation	Spécification/	Specification	Rev
	ARGENTAGE EP	3 A 7 (KG)			
					
				······	
					
			<u> </u>		
Essals	eous≓d-autes	esubseenderad act des es		Micro	Macro
	Test (!	Spec.	AIR9173
Test				Rev	_
Labo.			ì	Echantil./Sample size	4
Certificat N°			:	Surf.Contaminée/	
Notes				Surface contamination Taille de grain/	
			i	grain size	
president and the second	sal sur éprou	valted/kordyon spectmen (4)	Maria Taran	Macro structure	Austenite steel A8
Spec.			P	Micro.study	Austenite steel Al3
Rev	 			Magnification	x 100
Echantil./Samples	<u> </u>			Broach crack	
R	 			Discontinuités/	Conforme
E 0,2%	 			Discontinuities Discontinuities	
A%	 			I'.G.A	
Z%.	 			N°Archive	11 M 10
Notes	N/A		*	Visa	a020
				Notes	
	1	•			
Visa					
				THE B. PAYAGE /SE	7-1-2
	STATE OF THE STATE		The state of the s		
Spec.		A STATE OF THE STA			
		And the second s			
Rev		Annual des production of the second s			
Rev Echantillon/Sample		Name of the state			
Rev Echantillon/Sample Test temp(fluage)	es				
Rev Echantillon/Sample			N/A		
Rev Echantillon/Sample Test temp(fluage)	es				
Rev Echantillon/Sample Test temp(fluage) Notes	es N/A				
Rev Echantillon/Sample Test temp(fluage) Notes . Machine/Test mach	es N/A				
Rev Echantillon/Sample Test temp(fluage) Notes Machine/Test mach Visa	es N/A				
Rev Echantillon/Sample Test temp(fluage) Notes Machine/Test mach Visa Charge mini/Low le	es N/A		N/A		
Rev Echantillon/Sample Test temp(fluage) Notes Machine/Test mach Visa Charge mini/Low 16 Charge maxi/High	es N/A				
Rev Echantillon/Sample Test temp(fluage) Notes Machine/Test mach Visa Charge mini/Low le Charge maxi/High Cycles mini/Min cy	es N/A N/A Dad load ycles		N/A		
Rev Echantillon/Sample Test temp(fluage) Notes Machine/Test mach Visa Charge mini/Low le Charge maxi/High Cycles mini/Min cycles moy/Ave.cyc	es N/A N/A Dad load load ycles cles		N/A		
Rev Echantillon/Sample Test temp(fluage) Notes Machine/Test mach Visa Charge mini/Low le Charge maxi/High Cycles mini/Min cycles moy/Ave.cyc Cycles max/Max cyc	oad load ycles cles cles		N/A		
Rev Echantillon/Sample Test temp(fluage) Notes Machine/Test mach Visa Charge mini/Low le Charge maxi/High Cycles mini/Min cy Cycles moy/Ave.cy Cycles max/Max cyc	oad load ycles cles cles	Location	N/A		
Rev Echantillon/Sample Test temp(fluage) Notes Machine/Test mach Visa Charge mini/Low le Charge maxi/High Cycles mini/Min cy Cycles moy/Ave.cy Cycles max/Max cyc	oad load ycles cles cles		N/A		
Rev Echantillon/Sample Test temp(fluage) Notes Machine/Test mach Visa Charge mini/Low le Charge maxi/High Cycles mini/Min cycles moy/Ave.cyc Cycles max/Max cyc	oad load ycles cles cles		N/A		
Rev Echantillon/Sample Test temp(fluage) Notes Machine/Test mach Visa Charge mini/Low le Charge maxi/High Cycles mini/Min cycles moy/Ave.cyc Cycles max/Max cyc	oad load ycles cles cles		N/A		
Rev Echantillon/Sample Test temp(fluage) Notes Machine/Test mach Visa Charge mini/Low le Charge maxi/High Cycles mini/Min cy Cycles moy/Ave.cy Cycles max/Max cyc	oad load ycles cles cles		N/A		
Rev Echantillon/Sample Test temp(fluage) Notes Machine/Test mach Visa Charge mini/Low le Charge maxi/High Cycles mini/Min cycles moy/Ave.cyc Cycles max/Max cyc	oad load ycles cles cles		N/A		
Rev Echantillon/Sample Test temp(fluage) Notes Machine/Test mach Visa Charge mini/Low le Charge maxi/High Cycles mini/Min cycles moy/Ave.cyc Cycles max/Max cyc	oad load ycles cles cles		N/A		
Rev Echantillon/Sample Test temp(fluage) Notes Machine/Test mach Visa Charge mini/Low le Charge maxi/High Cycles mini/Min cycles moy/Ave.cyc Cycles max/Max cyc	oad load ycles cles cles		N/A		
Rev Echantillon/Sample Test temp(fluage) Notes Machine/Test mach Visa Charge mini/Low le Charge maxi/High Cycles mini/Min cy Cycles moy/Ave.cy Cycles max/Max cyc	oad load ycles cles cles		N/A		

- CERTIFICAT DE RECEPTION TYPE 3.1

Conforme à la EN 10204

INSPECTION CERTIFICATE - TYPE 3.1 Conforms to EN 10204

N° Lot: 37919/0

N° de Commande :

Purchase Order N°:

PO32008

N° Bon de Livraison:

Delivery Note Nº:

Date:

25/05/05

MRCCM00012

Poids: Weight:

33 481

Référence Client : Customer Reference

Product ordered :

Désignation Produit: Fil tréfilé diam. 4.88/4.91 mm

Etat mis en solution

fil cuivré

Client: Customer: MECAERO

Bd du Grand

Z.I. Roques

31120 Roques sur Garoline FRANCE

EZ6NCT25 (A 286)

Spécifications: Specifications:

MPM 402-01-, AMS 5731, DMD 274-22. Analyse chimique / Chemical analysis

MEC 27.

- % masse / % weight

Analyse chimique / Chemical analysis - % masse / % weight

N° Coulée : Heat N°:

ΑI 0 12

0.004

C Co 0.043 0.12

Cr 14.75

Cu 0.08

Mn 1.48

Mo 1.26

Ni 24.68

0.012

Pb <0.005

HM264005

S <0.002

Si 0.14

Ti 1.95

0.31

PROPRIETES MECANIQUE MECHANICAL PROPERTIES

Etat métallurgique /	Metallurgical condition	ES	SAI DE TRA	CTION / TEA	Taille de grain /	Dura	Doreté /		
	· · · · · · · · · · · · · · · · · · ·	0 (°C)	Rm (Mpa)	Rp0.2% (Mpa)	A%	Z%	Grain size	Hardr	7855
Etat de livraison /	As shipped properties	TA	621,0 >	.	. '		6	174	нв
725°C/16H/AIR		TA	1056,0	892	20,0	40,0	6	33	HRC
	Fluage / Stress rupture	650	480 Mpa	65,0 h	16,0				
		TA							
	Fluage / Stress rupture		Mpa	h					

AUTRES CONTRÔLE OTHER INSPECTIONS:

Etat de surface / Surface condition :

BON

Contrôle dimensionnel / Dimensionnal inspection :

BON

ELABORATION AUBERT ET DUVAL CONTROLE U.S SUR BILLETTE FLUAGE SUR 1/2 PRODUIT

Référence des dérogations / Concessions list :

Nous certifions que seuf exceptions ou dérogations énumérées ci-dessus, la fourniture citée a été fabriquée conformément aux spécifications techniques du marché, commande, ou sous-commande du Client, et que toutes opérations de contrôle et essais effectués, elle répond sous tous ses aspects, aux spécifications particulières, aux plans, ainsi qu'aux normes en vigueur s'y rapportant,

We certify that unless otherwise stated, the above described products have been manufactured, tested and inspected in accordance with the technical specification of the contract, order or subcontract applicable thereto and conforms fully to the special requirements, dressings and standards quoted hereon.

Le signataire habilité : The authorised signatory:

Date: 02/12/2005

C. Laborde

Agent de certification

Lahander

No:

AUBERT & DUVAL D. PICARD or and on behalf of the Direction Générale de 1786

Civile. Approval reference F-FF05

* _L

AUBERT&DUVAL